Supplementary Financial Data (IFRS) for the Second Quarter of the Year Ending March 31, 2019

l.	Consolidated Financial Highlights	1
II.	Consolidated Statement of Profit or Loss	2
III.	Segment Information	3
IV.	Revenues Information	4
V.	Consolidated Statement of Financial Position	6
VI.	Changes in Quarterly Results	7
VII.	Major Consolidated Subsidiaries	7
VIII.	Shareholder Positioning	8
IX.	Development Pipeline	9
Χ.	Profile of Major Products under Development	13

October 30, 2018

Sumitomo Dainippon Pharma Co., Ltd.

- This material contains forecasts, projections, targets, plans, and other forward-looking statements regarding the Group's financial results and other data. Such forward-looking statements are based on the Company's assumptions, estimates, outlook, and other judgments made in light of information available at the time of preparation of such statements and involve both known and unknown risks and uncertainties. Accordingly, plans, goals, and other statements may not be realized as described, and actual financial results, success/failure or progress of development, and other projections may differ materially from those presented herein.
- All values are rounded. Therefore totals may not be consistent with aggregated figures.

I. Consolidated Financial Highlights

1. Consolidated Statement of Profit or Loss (Core Basis)

(Billions of yen)

	Q2 FY2017	Q2 FY2018	Change % YoY	FY2017	Change % YoY	FY20 (Fored		Change % YoY
Revenue	231.4	226.2	(2.2)	466.8	14.3		467.0	0.0
Cost of sales	57.0	55.6	(2.5)	112.3	18.9	[110.0]	112.5	0.1
Gross profit	174.3	170.6	(2.2)	354.5	13.0	[357.0]	354.5	0.0
SG&A expenses *1	87.4	92.2	5.5	186.2	8.6	[195.0]	190.5	2.3
R&D expenses	40.3	41.3	2.6	86.9	6.8	[85.0]	87.0	0.1
Other operating income/expenses (Core Basis)*2	9.1	0.1	(99.2)	9.2	178.2		0.0	_
Core operating profit	55.8	37.2	(33.4)	90.6	40.8		77.0	(15.0)
Changes in fair value of contingent consideration (negative number indicates loss)	4.1	(6.9)		6.4		[(19.0)]	(20.0)	
Other non-recurring items *3 (negative number indicates loss)	(0.4)	(0.7)		(8.8)		[(5.0)]	(4.0)	
Operating profit	59.5	29.6	(50.2)	88.2	118.9		53.0	(39.9)
Net profit attributable to owners of the parent	45.3	27.9	(38.5)	53.4	70.7		35.0	(34.5)
Basic earnings per share (yen)	114.11	70.15		134.53			88.10	
Net profit/ Equity attributable to owners of the parent (ROE)	10.4%	5.9%		12.4%			7.5%	

Note: Some part of forecasts have been revised. Figures in parentheses [] are previous forecasts. Change % is calculated by using revised forecasts.

2. Consolidated Statement of Profit (Billions of yen) or Loss (Full Basis) Q2 Q2 Change % YoY FY2017 FY2018 Revenue 231.4 226.2 (2.2)Cost of sales 57.0 55.6 (2.5)Gross profit 174.3 170.6 (2.2)SG&A expenses 83.3 99.0 18.9

R&D expenses 40.3 41.3 2.6 Other operating income/expenses 8.7 (0.6)**Operating profit** 59.5 29.6 (50.2)Finance income/costs 1.5 8.0

61.0

45.3

3. Consolidated Statement of Q2 Q2 (Billions of yen) **Cash Flows** FY2017 FY2018 Net cash provided by operating activities 35.7 7.0 Net cash provided by (used in) investing activities 3.0 (0.6)Net cash used in financing activities (12 0) (22.4)

- *1 Exclude non-recurring items (changes in fair value of contingent consideration, etc.)
- "P/L on business transfer" and "share of P/L of associates accounted for using equity
- *3 Non-recurring items ("other operating income and expenses" except for *2 items, impairment losses, etc.)

Net cash used in financing activities	(12.8)	(23.1)						
Cash and cash equivalents at the end of period	132.2	137.6	_					
			-					tivity FY2018 ct of yen
4. Foreign Exchange Rates	FY2017 AprSep.		FY2018 AprSep.		FY2018 assumption		depreciation by	
	Period end rate	Average rate	Period end rate	Average rate	Previous	Revised	Revenue	Core operating profit
Yen / USD	112.7	111.1	113.6	110.3	105.0	110.0	2.4	(0.0)

16.4

37.6

27.9

(38.3)

(38.5)

16.5

16.7

16.5

16.5

(Billions of yen)

5. Capital Expenditures/ Depreciation and Amortization	Q2 FY2017	Q2 FY2018	Change	FY2018 (Forecast)	Change	(Billions of yen)
Capital expenditures	3.3	7.2	3.9	12.0	1.8	
Property, plant and equipment	3.8	3.7	(0.1)	7.3	(0.3)	•
Intangible assets	2.3	3.3	1.1	8.0	2.8	

17.0

Note: The amount of capital expenditures are for tangible fixed assets and software.

Major capital expenditure project in FY2018

Profit before taxes

Yen / RMB

Net profit attributable to owners of the parent

Workspace reform (Osaka/Tokyo head office), total budget ¥1.5billion, to be completed in FY2018

II. Consolidated Statement of Profit or Loss

1. Consolidated Statement of Pro	fit or Loss (Core Basis)	(Billions of y	ren)
	Q2 FY2017	Q2 FY2018	Change	Change %	Japan Segment (¥6.5B) North America Segment ¥4.3B
Revenue	231.4	226.2	(5.2)	(2.2)	f: E)/ : (MO OD)]
Overseas revenue	136.9	141.3	4.5	3.3	[incl. FX rate impact ¥0.2B] ∙Other Regions Segment ¥0.3B
% of Revenue	59.2%	62.5%			Other (¥3.2B)
Cost of sales	57.0	55.6	(1.4)	(2.5)	
% of Revenue	24.6%	24.6%			
Gross profit	174.3	170.6	(3.8)	(2.2)	
SG&A expenses	87.4	92.2	4.8	5.5	
Labor costs	37.8	37.8	(0.0)	(0.0)	
Advertising and promotion costs	10.2	11.8	1.5	15.1	•Increase mainly in cost for LATUDA® and LONHALA® MAGNAIR®
Sales promotion costs	7.5	7.8	0.3	3.6	EGNINE C WAGIVIII C
Amortization/Depreciation	2.9	3.9	1.0	36.3	
Others	28.9	30.9	2.0	6.8	
R&D expenses	40.3	41.3	1.0	2.6	·1HFY17: Profit on business transfer
% of Revenue	17.4%	18.3%			
Other operating income/expenses (Core Basis)	9.1	0.1	(9.0)	(99.2)	 1HFY17: Reversal of cost by decrease in fair value of contingent consideration associated with
Core operating profit	55.8	37.2	(18.6)	(33.4)	review of a development program Changes in fair value of 1H 1H
Changes in fair value of contingent consideration *	4.1	(6.9)	(10.9)		contingent consideration FY17 FY18 LONHALA®MAGNAIR® (1.4) (0.9)
Other non-recurring items *	(0.4)	(0.7)	(0.3)		BBI 6.2 (2.5) Tolero (0.8) (3.5)
Operating profit	59.5	29.6	(29.9)	(50.2)	
Finance income	1.8	8.1	6.4		Foreign exchange gain on financial assets
Finance costs	0.2	0.1	(0.1)		denominated in USD due to weaker yen
Profit before taxes	61.0	37.6	(23.4)	(38.3)	
Income tax expenses	15.6	9.7	(5.9)		
Net profit	45.3	27.9	(17.5)	(38.5)	
Net profit attibutable to owners of the parent	45.3	27.9	(17.5)	(38.5)	

of the parent
* Negative number indicates loss.

2. Adjustmnents to Core Operating Profit

				(Billions of yen)
Q2FY2018 Results	Full Basis	Core Basis	Adjustment	Major adjustment items
Revenue	226.2	226.2		_
Cost of sales	55.6	55.6		
Gross profit	170.6	170.6	-	<u>.</u>
SG&A expenses	99.0	92.2	(6.9)	Changes in fair value of contingent consideration (6.9)
R&D expenses	41.3	41.3	-	-
Other operating income	0.2	0.1	(0.2)	Other operating income except for "profit on business transfer" and "share of profit of associates accounted for using equity method" is excluded from core operating profit (0.2)
Other operating expenses	(0.9)	(0.0)	0.9	Other operating expenses are excluded from core operating profit 0.9
Operating profit	29.6	37.2	7.5	

III. Segment Information (Core Basis)

(Billions of yen)

		Pharmac	euticals E	Business		Other	Total
Q2 FY2018 Results	Japan	North America	China	Other Regions	Subtotal	Business	
Revenue (Sales to customers)	66.4	122.5	11.4	7.0	207.3	18.8	226.2
Cost of sales	25.9	9.7	1.9	3.5	41.0	14.6	55.6
Gross profit	40.5	112.8	9.5	3.6	166.4	4.2	170.6
SG&A expenses	25.1	58.1	4.4	1.9	89.4	2.7	92.2
Core segment profit	15.4	54.8	5.1	1.7	76.9	1.5	78.4
R&D expenses *1					40.8	0.5	41.3
Other operating income/expenses (Core basis)*2					0.1	0.0	0.1
Core operating profit					36.2	1.0	37.2

(Billions of yen)

		Pharma	ceuticals B	usiness		Other	
Q2 FY2017 Results	Japan	North America	China	Other Regions	Subtotal	Business	Total
Revenue (Sales to customers)	72.8	118.2	11.5	6.8	209.3	22.0	231.4
Cost of sales	26.2	8.0	2.3	3.1	39.6	17.4	57.0
Gross profit	46.7	110.2	9.2	3.7	169.8	4.6	174.3
SG&A expenses	25.2	53.4	3.7	1.8	84.2	3.2	87.4
Core segment profit	21.5	56.8	5.5	1.8	85.6	1.4	87.0
R&D expenses *1					39.8	0.5	40.3
Other operating income/expenses (Core basis)*2					9.1	0.0	9.1
Core operating profit					54.9	0.8	55.8

(Billions of yen)

FV0040 Fava acata		Pharma	ceuticals B	usiness		Other	
FY2018 Forecasts	Japan	North America	China	Other Regions	Subtotal	Business	Total
Revenue (Sales to customers)	130.0	261.3	23.3	14.4	429.0	38.0	467.0
Cost of sales	51.2	22.1	3.8	6.0	83.1	29.4	112.5
Gross profit	78.8	239.2	19.5	8.4	345.9	8.6	354.5
SG&A expenses	52.4	119.3	9.2	3.5	184.4	6.1	190.5
Core segment profit	26.4	119.9	10.3	4.9	161.5	2.5	164.0
R&D expenses *1					86.0	1.0	87.0
Other operating income/expenses (Core basis)*2					0.0	0.0	0.0
Core operating profit					75.5	1.5	77.0

^{*1} R&D expenses for pharmaceuticals business are controlled globally and not allocated to each segment.

^{*2} P/L on business transfer and share of P/L of associates accounted for using equity method Note: Some part of FY2018 forecasts have been revised.

IV. Revenues Information

1. Sales of Pharmaceuticals Business (Sales to customers)

(Billions of yen)

Segment	Q2 FY2017	Q2 FY2018	Change	Change %	FY2017 2nd Half	FY2017	FY2018 2nd Half	FY20 (Fore	
Japan	72.8	66.4	(6.5)	(8.9)	70.5	143.3	63.6	[131.8]	130.0
North America	118.2	122.5	4.3	3.7	122.6	240.8	138.8	[260.8]	261.3
China	11.5	11.4	(0.1)	(0.9)	11.9	23.4	11.9	[22.0]	23.3
Other Regions	6.8	7.0	0.3	3.7	9.7	16.5	7.4		14.4

2. Sales of Major Products (1)

(Invoice price basis, Billions of yen)

Brand name Therapeutic indication	Q2 FY2017	Q2 FY2018	Change	Change %	FY2017 2nd Half	FY2017	FY2018 2nd Half	FY20 (Fored	
Japan									
Promoted products									
Trulicity _® * Therapeutic agent for type 2 diabetes (Launch:Sep. 2015)	7.1	10.7	3.6	50.8	8.8	15.9	12.1		22.8
TRERIEF® Therapeutic agent for Parkinson's disease	8.1	7.9	(0.1)	(1.6)	8.0	16.1	8.1	[14.5]	16.0
LONASEN® Atypical antipsychotic	6.5	6.3	(0.2)	(3.5)	6.1	12.6	6.2		12.5
REPLAGAL® Anderson-Fabry disease	5.8	6.3	0.6	9.5	5.9	11.7	6.1	[12.2]	12.4
METGLUCO® Therapeutic agent for type 2 diabetes	5.6	5.1	(0.5)	(8.2)	5.3	10.9	5.3	[11.1]	10.4
SUREPOST® Therapeutic agent for type 2 diabetes	2.5	3.0	0.5	21.2	2.6	5.0	2.9		5.9
AmBisome® Therapeutic agent for systemic fungal infection	2.2	2.0	(0.2)	(9.8)	2.1	4.3	2.3		4.3
Other products									
AIMIX® Therapeutic agent for hypertension	9.2	5.8	(3.5)	(37.5)	9.5	18.8	2.9	[10.4]	8.7
AMLODIN® Therapeutic agent for hypertension and angina pectoris	6.0	4.7	(1.3)	(21.3)	5.5	11.4	4.4		9.1
PRORENAL® Vasodilator	2.9	2.1	(8.0)	(26.3)	2.5	5.4	2.2		4.3
AVAPRO® Therapeutic agent for hypertension	5.1	1.5	(3.5)	(70.0)	3.3	8.4	1.4	[4.0]	2.9
GASMOTIN [®] Gastroprokinetic	2.6	2.0	(0.6)	(23.6)	2.3	4.9	1.9		3.9

 $^{^{\}star}$ Revenue of $\mathsf{Trulicity}_{\tiny{\textcircled{\tiny{\$}}}}$ is shown on NHI price basis.

Note: The forecasts of some products have been revised. Figures in parentheses [] are previous forecasts. Progress rate is against previous forecast.

2. Sales of Major Products (2)

/ P	lions	Ot V	nnl

Brand name Therapeutic indication	Q2 FY2017	Q2 FY2018	Change	Change %	FY2017 2nd Half	FY2017	FY2018 2nd Half	FY20 (Forec	
North Amrerica									
LATUDA [®] Atypical antipsychotic	86.5	89.7	3.2	3.7	92.1	178.6	103.8	[184.7]	193.5
BROVANA® Therapeutic agent for COPD	16.4	16.7	0.4	2.2	16.8	33.1	18.0	[34.2]	34.7
APTIOM® Antiepileptic (Launch: Apr. 2014)	7.3	9.7	2.4	32.9	8.4	15.7	10.5	[22.1]	20.2
LONHALA® MAGNAIR® Therapeutic agent for COPD (Launch: Apr. 2018)	-	0.4	0.4	_	-	_	0.8	[5.0]	1.2
Therapeutic agent for COPD (in-licensed 3 products) *	0.2	0.3	0.1	48.4	0.3	0.5	0.3	[2.9]	0.6
XOPENEX® Therapeutic agent for asthma	1.9	2.1	0.3	14.3	2.1	4.0	2.0	[3.6]	4.1
China									
MEROPEN®	10.0	9.8	(0.2)	(2.0)	10.3	20.4	10.2	[19.0]	20.0
Other Regions									
MEROPEN [®]	4.8	5.1	0.3	7.0	5.4	10.2	2.3		7.4

(Ref.) Products sales in North America (based on local currency)

(Millions of dollar)

品目	Q2 FY2017	Q2 FY2018	Change	Change %	FY2017 2nd Half	FY2017	FY2018 2nd Half	FY20 (Fored	
LATUDA [®]	779	813	35	4.5	832	1,611	946		1,759
BROVANA [®]	147	152	4	2.9	152	299	163	[326]	315
APTIOM [®]	66	88	22	33.8	76	141	96	[210]	184
LONHALA® MAGNAIR®	_	4	4	_	_	_	7	[48]	11
Therapeutic agent for COPD (in-licensed 3 products) *	2	3	1	49.5	3	5	2	[28]	5
XOPENEX [®]	17	19	3	15.1	19	36	18	[34]	37

^{*} $\mathrm{UTIBRON}^{\mathrm{@}}$, $\mathrm{SEEBRI}^{\mathrm{@}}$, $\mathrm{ARCAPTA}^{\mathrm{@}}$

Note: The forecasts of some products have been revised. Figures in parentheses [] are previous forecasts. Progress rate is against previous forecast.

V. Consolidated Statement of Financial Position

(Billions of yen)

	Mar.31 2018	Sep. 30 2018	Change
Assets	809.7	836.4	26.8
Non-current assets	461.1	487.4	26.3
Property, plant and equipment	58.2	60.6	2.4
Buildings and structures	36.7	38.1	1.5
Machinery, equipment and carriers	9.7	10.7	1.0
Tools, equipment and fixtures	4.1	4.7	0.5
Land	5.1	5.1	0.0
Construction in progress	2.7	2.1	(0.6)
Goodwill	95.1	101.7	6.6
Intangible assets	189.7	199.8	10.1
Patent rights/Marketing rights	30.8	30.3	(0.5)
In-process research & development	153.9	164.0	10.0
Others	4.9	5.5	0.6
Other financial assets	71.0	78.3	7.4
Other non-current assets	5.5	5.3	(0.2)
Deferred tax assets	41.6	41.7	0.1
Current assets	348.6	349.0	0.4
Inventories	60.2	68.5	8.3
Trade and other receivables	113.0	119.6	6.6
Other financial assets	22.1	16.7	(5.4)
Other current assets	5.6	6.6	1.0
Cash and cash equivalents	147.8	137.6	(10.2)
Liabilities	357.0	345.3	(11.6)
Non-current liabilities	146.7	154.0	7.3
Bonds and borrowings	30.9	29.5	(1.5)
Trade and other payables	_		
Other financial liabilities	88.4	99.1	10.7
Retirement benefit liabilities	20.7	20.7	0.0 \
Other non-current liabilities	6.6	4.6	(2.0)
Deferred tax liabilities	0.1	0.2	0.1
Current liabilities	210.2	191.3	(19.0)
Bonds and borrowings	16.5	3.0	(13.5)
Trade and other payables	58.7	49.3	(9.5)∫
Other financial liabilities	6.3	8.5	2.3
Income taxes payable	14.4	12.4	(2.0)
Provisions	84.4	92.1	7.6
Other current liabilities	30.0	26.1	(3.9)
Equity	452.7	491.1	38.4
Share capital	22.4	22.4	_
Capital surplus	15.9	15.9	_
Treasury shares	(0.7)	(0.7)	(0.0)
Retained earnings	396.0	416.7	20.7
Other components of equity	19.1	36.8	17.7
Equity attributable to owners of the parent	452.7	491.1	38.4

Goodwill	18/3	18/9
Sunovion	71.8	76.8
Oncology	23.3	24.9
IPR&D	18/3	18/9
apomorphine	71.1	76.0
BBI products	28.7	30.7
Tolero products	42.5	45.4
Others	11.7	11.9

Rise in stock price

Total interest-bearing debt 47.4 → 32.4 [Redemption 10.0 Repayment 5.0]

Contingent consideration			Total probable
liabilities *	18/3	18/9	payment (Max)
LONHALA®MAGNAIR®	10.3	12.0	\$210M
BBI	46.4	52.2	\$2,405M
Tolero	29.8	35.4	\$580M
Total	86.6	99.6	

*Included in "Other financial liabilities (Non current/Current)"

FX rate 18/3 18/9 USD ¥106.3 ⇒ ¥113.6 RMB ¥ 16.9 ⇒ ¥16.5

VI. Change in Quarterly Results

			(Billion	s of yen)
	FY20)17	FY20	18
	1Q	2Q	1Q	2Q
Revenue	116.2	115.2	115.9	110.2
Cost of sales	27.5	29.5	28.9	26.7
Gross profit	88.7	85.7	87.0	83.6
SG&A expenses	44.2	43.1	47.8	44.4
R&D expenses	19.9	20.4	20.9	20.5
Other operating income/expenses (Core Basis)	0.2	8.9	0.0	0.0
Core operating profit	24.8	31.0	18.4	18.7
Changes in fair value of contingent consideration (negative number indicates loss)	7.1	(3.0)	(2.5)	(4.4)
Other non-recurring items (negative number indicates loss)	(0.2)	(0.2)	(0.1)	(0.6)
Operating profit	31.6	27.8	15.8	13.8
Net profit attributable to owners of the parent	24.6	20.7	15.2	12.6

VII. Major Consolidated Subsidiaries (As of Sep. 30, 2018)

Domestic	DSP Gokyo Food & Chemical Co., Ltd.	DS Pharma Animal Health Co., Ltd.	DS Pharma Biomedical Co., Ltd.	
Establishment	October 1947	July 2010	June 1998	
Ownership	100%	100%	100%	
Number of employees	188	76	42	
Businesses	Manufacturing and sales of food ingredients, food additives, chemical product materials, etc.	sales of veterinary medicines, etc.	Manufacturing and sales of pharmaceuticals and diagnostics, etc.	
Overseas	Sunovion Pharmaceuticals Inc.	Boston Biomedical, Inc.	Tolero Pharmaceuticals,	Sumitomo Pharmaceuticals
			Inc.	(Suzhou) Co., Ltd.
Establishment	January 1984	November 2006	June 2011	December 2003
Establishment Ownership	January 1984 100%	November 2006 100%		
			June 2011	December 2003

(Reference) Number of employees and MRs

		As of	As of	As of
		Mar. 31, 2017	Mar. 31, 2018	Sep. 30, 2018
	consolidated	6,492	6,268	6,210
	non-consolidated	3,572	3,402	3,176
MRs				
Japa	n (excluding managers)	1,130	1,130	1,150
	(including managers)	1,260	1,260	1,280
U.S.	(excluding managers)	870	830	720
	(including managers)	990	930	820
Chin	a (excluding managers)	340	330	330
	(including managers)	410	400	400

Number of contracted MRs is included in MRs.

VIII. Shareholder Positioning (As of September 30, 2018)

1. Total number of authorized shares: 1,500,000,000

2. Total number of shares outstanding: 397,900,154 (Including number of treasury stock 602,840)

3. Number of shareholders by category:

	Number of shareholders	Number of shares (Thousands)	Percentage of total (%)
Financial institutions	54	88,667	22.28
Securities companies	30	3,741	0.94
Other Japanese corporations	268	235,415	59.17
Corporations outside Japan, etc.	586	48,506	12.19
Individuals and others (Including treasury stock)	18,840	21,568	5.42
Total	19,778	397,900	100

Note: The numbers of shares are rounded down to the nearest thousand shares.

4. Major shareholders:

Shareholders	Number of shares held (Thousands)	Percentage of shareholding(%)
Sumitomo Chemical Co., Ltd.	205,634	51.76
The Master Trust Bank of Japan, Ltd. (Trust account)	25,483	6.41
Inabata & Co., Ltd.	21,082	5.31
Japan Trustee Services Bank, Ltd. (Trust account)	9,734	2.45
Nippon Life Insurance Company	7,581	1.91
SMBC Trust Bank Ltd. (Trust account for Sumitomo Mitsui Banking Corporation's retirement benefits)	7,000	1.76
Sumitomo Life Insurance Company	5,776	1.45
Aioi Nissay Dowa Insurance Co., Ltd.	4,435	1.12
Sumitomo Dainippon Pharma Employee shareholders' association	3,201	0.81
Japan Trustee Services Bank, Ltd. (Trust account 5)	2,889	0.73

Notes: 1: Percentage of shareholding is calculated excluding treasury stock (602,840 stocks).

^{2:} The numbers of shares held are rounded down to the nearest thousand shares.

IX. Development Pipeline (As of October 30, 2018)

- This table shows clinical studies on indications for which the Sumitomo Dainippon Pharma Group aims to obtain approval in Japan, U.S. or China, and does not cover all clinical studies.
- For oncology area, the study for the most advanced development stage is listed if there are multiple studies with the same indication.
- The development stage is changed when Investigational New Drug Application/amended IND/ Clinical Trial Notification is filed/approved by the authority.

1. Psychiatry & Neurology

Brand name/ Product code (Generic name)	Proposed indication	Region	Development stage
SM-13496	Schizophrenia	China	Submitted in December 2015
(lurasidone	Schizophrenia	Japan	Phase 3
hydrochloride)	Bipolar I depression	Japan	Phase 3
	Bipolar maintenance	Japan	Phase 3
SEP-225289 (dasotraline)	Attention-deficit hyperactivity disorder (ADHD)	U.S.	Submitted in August 2017 Received Complete Response Letter in August 2018
		Japan	Phase 1
	Binge eating disorder (BED)	U.S.	Phase 3
APL-130277	OFF episodes associated with	U.S.	Submitted in March 2018
(apomorphine hydrochloride)	Parkinson's disease		
LONASEN® (blonanserin)	(New formulation – Transdermal patch) Schizophrenia	Japan	Submitted in July 2018
	(New usage: pediatric) Schizophrenia	Japan	Phase 3
EPI-743 (vatiquinone)	Leigh syndrome	Japan	Phase 2/3
EPI-589	Parkinson's disease	U.S.	Phase 2
	Amyotrophic lateral sclerosis (ALS)	U.S.	Phase 2
		Japan	Phase 1
SEP-363856	Schizophrenia	U.S.	Phase 2
		Japan	Phase 1
	Parkinson's disease psychosis	U.S.	Phase 2
SEP-4199	Bipolar I depression	U.S.	Phase 2
		Japan	Phase 1
DSP-2230	Neuropathic pain	U.S., Japan	Phase 1
DSP-6745	Parkinson's disease psychosis	U.S.	Phase 1
SEP-378608	Bipolar disorder	U.S.	Phase 1
DSP-3905	Neuropathic pain	U.S.	Phase 1

2. Oncology (1/2)

2. Oncology (1/2) Brand name/ Product code	Proposed indication	Region	Development stage
(Generic name)			
DSP-1958 (thiotepa)	Conditioning Treatment Prior to Autologous Hematopoietic Stem Cell Transplantation (HSCT) for Pediatric Solid Tumors (Monotherapy) * Development for the use of unapproved or off-labeled drugs	Japan	Submitted in July 2018
BBI608 (napabucasin)	Colorectal cancer (Combination therapy)	U.S., Japan	Phase 3 (Global clinical study)
	Pancreatic cancer (Combination therapy)	U.S., Japan	Phase 3 (Global clinical study)
	Malignant pleural mesothelioma (Combination therapy)	Japan	Phase 1/2
	Hepatocellular carcinoma (Combination therapy)	U.S.	Phase 1/2
	Gastrointestinal cancer (Combination therapy)	U.S.	Phase 1/2
	Solid tumors (Combination therapy)	U.S.	Phase 1/2
	Hematologic malignancies (Monotherapy / Combination therapy)	U.S.	Phase 1
BBI503 (amcasertib)	Hepatocellular carcinoma (Combination therapy)	U.S.	Phase 1/2
	Solid tumors (Monotherapy/ Combination therapy)	U.S.	Phase 1/2
	Solid tumors (Monotherapy), Hepatocellular carcinoma (Combination therapy)	Japan	Phase 1
DSP-2033 (alvocidib)	Acute myeloid leukemia (AML) (Combination therapy) (Refractory or relapsed patients)	U.S.	Phase 2 (Global clinical study)
	Myelodysplastic syndromes (MDS) (Combination therapy)	U.S.	Phase 1/2
	Acute myeloid leukemia (AML) (Combination therapy) (Newly diagnosed patients)	U.S.	Phase 1
	Acute myeloid leukemia (AML) (Combination therapy) (Newly diagnosed and refractory or relapsed patients)	Japan	Phase 1

3. Oncology (2/2)

3. Officiology (2/2)			
Brand name/ Product code (Generic name)	Proposed indication	Region	Development stage
DSP-7888	Glioblastoma (Combination therapy)	U.S., Japan	Phase 2
(adegramotide/	, , , , , , , , , , , , , , , , , , , ,		(Global clinical study)
nelatimotide)	Myelodysplastic syndromes (MDS) (Monotherapy)	Japan	Phase 1/2
	Pediatric malignant gliomas (Monotherapy)	Japan	Phase 1/2
	Solid tumors, Hematologic malignancies	U.S.	Phase 1
	(Monotherapy)		
	Solid tumors (Combination therapy)	U.S.	Phase 1
BBI608+BBI503	Solid tumors (Combination therapy)	U.S.	Phase 1
(napabucasin			
+amcasertib)			
TP-0903	Chronic lymphocytic leukemia (CLL)	U.S.	Phase 1/2
	(Monotherapy / Combination therapy)		
	Solid tumors	U.S.	Phase 1
	(Monotherapy / Combination therapy)		
DSP-0509	Solid tumors (Monotherapy)	U.S.	Phase 1
TP-0184	Solid tumors (Monotherapy)	U.S.	Phase 1
DSP-0337	Solid tumors (Monotherapy)	U.S.	Phase 1
TP-1287	Solid tumors (Monotherapy)	U.S.	Phase 1

4. Regenerative medicine / cell therapy

Brand name/ Product code (Generic name)	Proposed indication	Region	Development stage
SB623	Chronic stroke	U.S.	Phase 2
Allo iPS cell-derived	Parkinson's disease	Japan	Phase 1/2
dopamine neural			(Investigator-initiated
progenitor			clinical study)
HLCR011	Age-related macular degeneration (AMD)	Japan	Preparing for start of
(Allo iPS cell-			clinical study
derived retinal			
pigment epithelium)			

5. Others

Brand name/ Product code (Generic name)	Proposed indication	Region	Development stage
PXL008	Type 2 diabetes	Japan	Phase 3
(imeglimin)			
DSP-6952	IBS with constipation, Chronic idiopathic	Japan	Phase 2
(minesapride)	constipation		

[Main revisions since the announcement of July 2018]

Changes	Brand name/ Product code (Generic name)	Proposed indication	Area	Development stage
Submitted	LONASEN® (blonanserin)	(New formulation – Transdermal patch) Schizophrenia	Japan	Submitted in July 2018
Started clinical study	Allo iPS cell-derived dopamine neural progenitor	Parkinson's disease	Japan	Started investigator- initiated clinical study
New	TP-1287	Solid tumors (Monotherapy)	U.S.	Started Phase 1 study

X. Profile of Major Products under Development (As of October 30, 2018)

1. Psychiatry & Neurology

LATUDA® (lurasidone hydrochloride)

Developed in-house, Formulation: oral

- LATUDA® (lurasidone hydrochloride) is an atypical antipsychotic agent that is believed to have an affinity for dopamine D₂, serotonin 5-HT_{2A} and serotonin 5-HT₇ receptors where it has antagonist effects. In addition, LATUDA is a partial agonist at the serotonin 5-HT_{1A} receptor and has no appreciable affinity for histamine H₁ or muscarinic M₁ receptors.
- Approved country and area:

Schizophrenia 2010: U.S., 2012: Canada, 2013: Switzerland, 2014: Europe and Australia,

2016: Taiwan, Russia, Singapore, Thailand and Hong Kong, 2017: Brazil and UAE

Bipolar I depression 2013: U.S., 2014: Canada, 2017: Russia, Brazil and Taiwan

Development stage:

Stage	Proposed indication	Country/ Area	Partners	
	Schizophrenia	Colombia	Daiichi Sankyo	
	Bipolar I depression	Coloribia	Dalicili Sarikyo	
Submitted	Schizophrenia	Turkey		
	Schizophrenia	China	In-house	
	Bipolar I depression	Switzerland		
	Schizophrenia	Japan		
Phase 3	Bipolar I depression,	lanan	In-house	
	Bipolar maintenance	Japan		
	Schizophrenia	Korea	Bukwang Pharmaceutical	

dasotraline (SEP-225289) Developed in-house (Sunovion Pharmaceuticals Inc.), Formulation: oral

- SEP-225289 is a dopamine and norepinephrine reuptake inhibitor (DNRI). SEP-225289 has an
 extended half-life (47-77 hours) that supports the potential for plasma concentrations yielding a
 continuous therapeutic effect over the 24-hour dosing interval.
- Development stage:

Attention-deficit hyperactivity disorder (ADHD): NDA submitted in the U.S. in August 2017

Complete Response Letter received in August 2018

Binge eating disorder (BED): Phase 3 in the U.S.

Attention-deficit hyperactivity disorder (ADHD): Phase 1 in Japan

<u>apomorphine hydrochloride (APL-130277)</u> Developed in-house (Sunovion Pharmaceuticals Inc., from former Cynapsus Therapeutics), Formulation: sublingual film

- APL-130277 is a sublingual film formulation of apomorphine, a dopamine agonist, which is the only
 molecule approved in the U.S. for acute intermittent treatment of OFF episodes associated with
 Parkinson's disease. It is designed to rapidly, safely and reliably convert a Parkinson's disease patient
 from the OFF to the ON state while avoiding many of the issues associated with subcutaneous delivery
 of apomorphine.
- Development stage: NDA submitted in the U.S. in March 2018.

vatiquinone (EPI-743)

In-licensed from BioElectron Technology Corporation (former Edison Pharmaceuticals, Inc.), Formulation: oral

- EPI-743 is expected to show efficacy by removing the oxidative stress that is generated excessively by decreased mitochondrial function. It is expected to be the world's first treatment for mitochondrial diseases, beginning with Leigh syndrome, for which there is no effective therapy.
- · Development stage:

A Phase 2 / 3 study for Leigh syndrome in Japan completed, development strategy under consideration

(former Edison Pharmaceuticals, Inc.), Formulation: oral

• EPI-589 is expected to show efficacy by removing the oxidative stress that is generated excessively by decreased mitochondrial function. It is expected to be developed for neurodegenerative indications arising through redox stress.

Development stage:

Parkinson's disease: Phase 2 in the U.S. by BioElectron Technology Corporation

Amyotrophic lateral sclerosis (ALS): Phase 2 in the U.S. by BioElectron Technology Corporation

Amyotrophic lateral sclerosis (ALS): Phase 1 in Japan

SEP-363856 Developed in-house (Sunovion Pharmaceuticals Inc.), Formulation: oral

• SEP-363856 is an antipsychotic agent with a novel mechanism of action, and doesn't show affinity to dopamine D₂ receptors. The molecular target(s) responsible for the profile of effects is unknown, but may include agonist effects at serotonin 5-HT_{1A} and TAAR1 (trace amine-associated receptor 1) receptors. Results obtained with the preclinical models suggest that SEP-363856 may be able to treat the positive and negative symptoms of schizophrenia as well as Parkinson's disease psychosis. SEP-363856 is expected to have high efficacy in the treatment of schizophrenia and Parkinson's disease psychosis, with an improved safety profile compared with currently marketed antipsychotics.

Development stage:

Schizophrenia: Phase 2 in the U.S.

Parkinson's disease psychosis: Phase 2 in the U.S.

Schizophrenia: Phase 1 in Japan

SEP-4199 Developed in-house (Sunovion Pharmaceuticals Inc.), Formulation: oral

- SEP-4199 is investigated for the treatment of major depressive episodes associated with bipolar I disorder. The mechanism of action is not disclosed at this time.
- Development stage:

Bipolar I depression: Phase 2 in the U.S. Bipolar I depression: Phase 1 in Japan

DSP-2230

Developed in-house, Formulation: oral

- DSP-2230 is an agent that selectively inhibits voltage-gated sodium channels Nav1.7 and Nav1.8 with higher potencies than those against the other sodium channel subtypes studied. In addition, DSP-2230 has demonstrated antiallodynic effects in preclinical models of neuropathic pain that have been shown to be predictive of efficacy in humans. Due to its novel mechanism, DSP-2230 is expected not to produce central nervous system or cardiovascular system side effects, which are present with the current drugs, such as non-selective sodium channel blockers and anti-epilepsy medicines.
- Development stage: Neuropathic pain: Phase 1 in the U.S. and Japan

DSP-6745

Developed in-house, Formulation: oral

- DSP-6745 is a serotonin 5-HT_{2A} and serotonin 5-HT_{2C} receptors dual antagonist, which is expected to be effective for Parkinson's disease psychosis and one or more Parkinson's disease non-motor symptoms (depression, anxiety, or cognitive impairment). In addition, DSP-6745 has negligible affinity for dopamine D₂ receptors.
- Development stage: Parkinson's disease psychosis: Phase 1 in the U.S.

SEP-378608

- SEP-378608 is a novel CNS-active molecule discovered using a preclinical phenotypic screening platform. Pre-clinical studies suggest that it may modulate neuronal activity in key areas of the brain associated with the regulation of mood.
- Development stage: Bipolar disorder: Phase 1 in the U.S.

DSP-3905

Developed in-house, Formulation: oral

- DSP-3905 is an agent that selectively inhibits voltage-gated sodium channels Nav1.7. Based on its inhibitory mode of action, the agent is expected to show a potent analgesic effect on the pain occurring when neurons get excessively excited. In addition, DSP-3905, which has a high selectivity for Nav1.7 expressed in peripheral neuron, is expected not to produce central nervous system or cardiovascular system side effects, which are present with the current drugs for neuropathic pain.
- Development stage: Neuropathic pain: Phase 1 in the U.S.

2. Oncology

napabucasin (BBI608)

Developed in-house (Boston Biomedical, Inc.), Formulation: oral

 BBI608 is an orally administered small molecule agent with a novel mechanism of action designed to inhibit cancer stemness pathways such as STAT3. By inhibiting pathways involved in the maintenance of cancer stemness, it may provide a new therapeutic option against the challenges in cancer treatment such as treatment resistance, recurrence and metastasis. BBI608 has been shown to inhibit STAT3 pathways, Nanog pathways and β-catenin pathways in pre-clinical studies.

Development stage:

Stage	Proposed indication	Country/ Area	Combination products	Study number
Phase	Colorectal cancer (combination therapy)	U.S., Japan	FOLFIRI*3, FOLFIRI*3+ bevacizumab	CanStem303C
3	Pancreatic cancer (combination therapy)	U.S., Japan	gemcitabine + nab-paclitaxel	CanStem111P
Phase 2	Colorectal cancer (combination therapy)	U.S.	cetuximab, panitumumab, capecitabine	224
	Solid tumors*1 (combination therapy)	U.S.	paclitaxel	201
	Malignant pleural mesothelioma*2 (combination therapy)	Japan	cisplatin + pemetrexed	D8807005
	Hepatocellular carcinoma*2 (combination therapy)	U.S.	sorafenib	HCC-103
Phase 1 / 2		Canada	temozolomide	251
	Solid tumors (combination therapy)	U.S.	ipilimumab, pembrolizumab, nivolumab	201CIT
	Gastrointestinal cancer (combination therapy) U.S., Canada		FOLFOX*3, FOLFOX*3 + bevacizumab, CAPOX*3, FOLFIRI*3, FOLFIRI*3 + bevacizumab, regorafenib, irinotecan	246
	Pancreatic cancer (combination therapy)	U.S.	gemcitabine + nab-paclitaxel, FOLFIRINOX*3, FOLFIRI*3, irinotecan liposome injection + fluorouracil + leucovorin	118
Phase 1	Hematologic malignancies (monotherapy / combination therapy)	U.S.	dexamethasone, bortezomib, imatinib, Ibrutinib	103HEME
	Solid tumors (combination therapy)	U.S.	amcasertib	401-101

^{*1} Phase 2 stage: Ovarian cancer, Breast cancer, Melanoma, etc.

^{*2} Phase 2 stage

*3 FOLFOX: Combination therapy with fluorouracil, leucovorin, oxaliplatin

CAPOX: Combination therapy with capecitabine, oxaliplatin

FOLFIRI: Combination therapy with fluorouracil, leucovorin, irinotecan

FOLFIRINOX: Combination therapy with fluorouracil, leucovorin, irinotecan, oxaliplatin

amcasertib(BBI503)

Developed in-house (Boston Biomedical, Inc.), Formulation: oral

BBI503 is an orally administered small molecule agent with a novel mechanism of action designed to
inhibit cancer stemness pathways, including Nanog, by targeting stemness kinases. By inhibiting
pathways involved in the maintenance of cancer stemness, it may provide a new therapeutic option
against the challenges in cancer treatment such as treatment resistance, recurrence and metastasis.
BBI503 has been shown to inhibit multiple kinases in pre-clinical studies.

Development stage:

Stage	Proposed indication	Country/ Area	Combination products	Study number
Phase	Hepatocellular carcinoma, Cholangiocarcinoma (monotherapy)	Canada	-	205b
2	Gastrointestinal stromal tumor (monotherapy)	Canada	-	205c
	Solid tumors* (monotherapy)	U.S.	-	101
5.	Hepatocellular carcinoma (combination therapy)	U.S.	sorafenib	HCC-103
Phase 1/2	Solid tumors (combination therapy)	U.S.	capecitabine, doxorubicin, nivolumab, pembrolizumab, paclitaxel, sunitinib	201
Phase	Solid tumors (monotherapy), Hepatocellular carcinoma (combination therapy)	Japan	sorafenib	DA101003
1	Solid tumors (combination therapy)	U.S.	napabucasin	401-101

^{*} Phase 2 stage: Colorectal cancer, Head and neck cancer, Ovarian cancer, etc.

alvocidib (DSP-2033)

In-licensed from Sanofi S.A., Formulation: injection

Alvocidib is a small molecule inhibitor of cyclin-dependent kinase 9 (CDK9), a member of cyclin-dependent kinase family, which activates transcription of cancer-related genes. The subsequent down-regulation of MCL-1, an anti-apoptotic gene, may be responsible for the potential clinical anti-cancer activity observed with alvocidib.

Development stage:

Stage	Proposed indication	Country/ Area	Combination products	Study number
Phase 2	Acute myeloid leukemia (combination therapy) (refractory or relapsed patients)	U.S.	cytarabine, mitoxantrone	TPI-ALV-201 (Zella 201)
Phase 1/2	Myelodysplastic syndromes (combination therapy)	U.S.	decitabine	TPI-ALV-102
	Acute myeloid leukemia (combination therapy) (newly diagnosed patients)	U.S.	cytarabine, daunorubicin	TPI-ALV-101 (Zella 101)
Phase 1	Acute myeloid leukemia (combination therapy) (newly diagnosed and refractory or relapsed patients)	Japan	newly diagnosed: cytarabine, daunorubicin refractory or relapsed: cytarabine, mitoxantrone	DC850101
	Acute myeloid leukemia (combination therapy) (refractory or relapsed patients)	U.S.	venetoclax	M16-186*

^{*} Co-development with AbbVie

- DSP-7888 is a therapeutic cancer peptide vaccine derived from Wilms' tumor gene 1 (WT1) protein. DSP-7888 is a vaccine containing peptides that induces WT1-specific cytotoxic T lymphocytes (CTLs) and helper T cells. DSP-7888 is expected to become a treatment option for patients with various types of hematologic malignancies and solid tumors that express WT1, by inducing WT1-specific CTLs that attack WT1-expressing cancer cells. By adding a helper T cell-inducing peptide, improved efficacy over that observed with a CTL-inducing peptide alone may be achieved. DSP-7888 is expected to be an option for a wide range of patients.
- Development stage:

Stage	Proposed indication	Country/ Area	Combination products	Study number
Phase 2	Glioblastoma (combination therapy)	U.S., Japan	Bevacizumab	BBI-DSP7888- 201G
Phase	Myelodysplastic syndromes (monotherapy)*	Japan	-	DB650027
1/2	Pediatric malignant gliomas (monotherapy) *	Japan	-	DB601001
Phase	Solid tumors, Hematologic malignancies (monotherapy)	U.S.	-	BBI-DSP7888- 101
1	Solid tumors (combination therapy)	U.S.	nivolumab, atezolizumab	BBI-DSP7888- 102Cl

^{*} Phase 2 stage

TP-0903

Developed in-house (Tolero Pharmaceuticals, Inc.), Formulation: oral

- TP-0903 is an AXL receptor tyrosine kinase inhibitor, which is known to be involved in acquiring
 resistance to conventional agents and developing metastatic capacity in cancer cells. TP-0903 may
 have anti-cancer activities on various cancer types through blocking transition from epithelial to
 mesenchymal phenotype by inhibiting AXL. TP0903 has been shown to inhibit AXL signaling and
 reverse the mesenchymal to epithelial phenotype in pre-clinical studies.
- Development stage:
 Chronic lymphocytic leukemia (monotherapy / combination therapy): Phase 1/2 in the U.S.
 Solid tumors (monotherapy / combination therapy): Phase 1 in the U.S.

DSP-0509

Developed in-house, Formulation: injection

- DSP-0509 is a novel Toll-like receptor (TLR) 7 agonist. DSP-0509 may promote the cytokine induction and cytotoxic T lymphocyte (CTL) activation mediated by agonistic effect of TLR 7 expressing in plasmacytoid dendritic cell. Furthermore, DSP-0509 is expected to sustain the immune-mediated anticancer activity by induction of immune system memory T cells.
- Development stage: Solid tumors (monotherapy): Phase 1 in the U.S.

TP-0184

Developed in-house (Tolero Pharmaceuticals, Inc.), Formulation: oral

- TP-0184 inhibits activin A receptor type 1 (ACVR1, also known as ALK2), part of the transforming growth factor beta (TGFβ) receptor superfamily. Mutations in the ACVR1 gene have been identified in various tumors, including diffuse intrinsic pontine glioma (DIPG; one of common pediatric brain tumors). TP-0184 has been shown to inhibit the growth of tumors harboring ACVR1 mutations in the pre-clinical studies.
- Development stage: Solid tumors (monotherapy): Phase 1 in the U.S.

DSP-0337

Developed in-house, Formulation: oral

- DSP-0337 is a small molecule oral prodrug of napabucasin to inhibit cancer stemness pathways such as STAT3. DSP-0337 is expected to be stable and dispersed in the stomach, and converted to napabucasin in the intestine, which may be absorbed and exert its pharmacologic activities.
- Development stage: Solid tumors (monotherapy): Phase 1 in the U.S.

- TP-1287 is a small molecule oral agent that inhibits cyclin-dependent kinase 9 (CDK9). TP-1287 has shown favorable oral bioavailability in preclinical studies. It is enzymatically cleaved, yielding alvocidib, a potent inhibitor of CDK9. The oral administration of TP-1287 may allow for administration for a prolonged period, which may lead to a continuous inhibition of CDK9.
- Development stage: Solid tumors (monotherapy): Phase 1 in the U.S.

3. Regenerative medicine / cell therapy

SB623 In-licensed from and co-developed with SanBio, Inc., Formulation: injection

- SB623 is an allogeneic cell product, derived from bone marrow stromal cells isolated from healthy donors. SB623 is expected to be effective for chronic stroke, which has no effective treatments available, by promoting regeneration of central nerve cells. Unlike autologous cell therapies that require individualized cell preparation at the clinical site, SB623 production can be scaled up from a single donor's cells, enabling delivery of uniform-quality products to a large number of stroke patients.
- Development stage: Chronic stroke: Phase 2 in the U.S. (Co-development with SanBio)

Allo iPS cell-derived products

- In cooperation with the partners in the industry-academia collaboration, we are promoting toward
 the commercialization of regenerative medicine / cell therapy using allo iPS cell (healthy patients)
 for AMD (age-related macular degeneration), Parkinson's disease, retinitis pigmentosa, and spinal
 cord injury.
- Development stage:

Development code	Partnering	Proposed indication	Area	Development stage
-	Kyoto University CiRA	Parkinson's disease	Japan	Phase 1/2 (Investigator-initiated clinical study)
HLCR011	RIKEN, Healios	Age-related macular degeneration (AMD)	Japan	Preparing for start of clinical study

4. Others

imeglimin (PXL008)

In-licensed from and co-developed with Poxel SA, Formulation: oral

- Imeglimin is the first clinical candidate in a new chemical class of oral agents called the Glimins by the World Health Organization. Imgelimin has a unique mechanism of action that targets mitochondrial bioenergetics. Imeglimin acts on all three key organs which play an important role in the treatment of type 2 diabetes: the liver, muscles, and the pancreas, and it has demonstrated glucose lowering benefits by increasing insulin secretion in response to glucose, improving insulin sensitivity and suppressing gluconeogenesis.
- Development stage: Type 2 diabetes: Phase 3 in Japan (Co-development with Poxel)

minesapride (DSP-6952)

Developed in-house, Formulation: oral

- DSP-6952 is an enterokinetic agent with a high affinity for serotonin 5-HT4 receptor where it has
 partial agonist effects. DSP-6952 is expected to be effective for IBS with constipation and chronic
 idiopathic constipation by increasing complete spontaneous bowel movement.
- Development stage: IBS with constipation, Chronic idiopathic constipation: Phase 2 in Japan